

2002 Supplemental
Remedial Studies
Program

Summary Report

January 2003
Amended April 2003



Grasse River Study Area
Massena, New York



Alcoa Inc.
Massena, New York

TABLE OF CONTENTS

SECTION 1 INTRODUCTION.....	1-1
SECTION 2 WATER	2-1
2.1 ROUTINE WATER COLUMN MONITORING.....	2-1
2.1.1 Collection Summary	2-1
2.1.2 Results	2-2
2.2 SEMI-PERMEABLE MEMBRANE DEVICES	2-6
2.2.1 Collection Summary	2-6
2.2.2 Results	2-7
SECTION 3 RESIDENT FISH.....	3-1
3.1 TREND MONITORING SURVEY	3-1
3.1.1 Collection Summary	3-1
3.1.2 Results	3-2
SECTION 4 QUALITY ASSURANCE/QUALITY CONTROL	4-1
4.1 INTRODUCTION	4-1
4.2 QA/QC PROCEDURES	4-1
4.3 RESULTS OF QA/QC ANALYSES	4-3
4.3.1 Water Column	4-3
4.3.2 Resident Fish.....	4-6
4.4 SUMMARY	4-6
SECTION 5 REFERENCES.....	5-1
TABLES	
FIGURES	
APPENDIX A - GRASSE RIVER PROJECT GIS DATABASE	

TABLES

Table 1-1.	2002 Collection Summary
Table 2-1.	2002 Water Column Collection Summary
Table 2-2.	Routine Water Column Monitoring Data
Table 2-3.	SPMD Data
Table 3-1.	2002 Resident Fish Collection Summary – Number of Samples Collected/Number of Samples Targeted
Table 3-2.	Resident Fish Data
Table 4-1.	Individual Samples Not Meeting QA/QC Guidelines

FIGURES

- Figure 1-1. Grasse River Study Area – Location Map
- Figure 2-1. Water Column/SPMD Sampling Locations
- Figure 2-2. Flow and Precipitation Measurements from 2002
- Figure 2-3. Temperature Measurements at WC001, WC007, WC131, WC011, and WC012
- Figure 2-4. Specific Conductivity Measurements at WC001, WC007, WC131, WC011, and WC012
- Figure 2-5. Measurements of Total PCBs at WCMSB, WC007, WC131, WC011, and WC012
- Figure 2-6. Spatial Distribution of Total PCBs in Water Samples Collected During the 2002 SRS Program
- Figure 2-7. Average Homolog Distributions in Water Samples Collected in 2002
- Figure 2-8. Spatial Distribution of TSS Concentrations Measured During the 2002 SRS Program
- Figure 2-9. Water Column PCB Concentrations Measured During Non-Stratified Periods (1995-2002)
- Figure 2-10. Water Column PCB Mass Fluxes During Non-Stratified Periods (1995-2002)
- Figure 2-11. Total PCBs in SPMDs at WC001, WC007, WC131, WC011, and WC012
- Figure 2-12. Spatial Distribution of Total PCBs in SPMD Samples Collected During the 2002 SRS Program
- Figure 2-13. Average Homolog Distributions in SPMD Samples Collected in 2002
- Figure 3-1. Adult Smallmouth Bass Sample Collection Locations
- Figure 3-2. Adult Brown Bullhead Sample Collection Locations
- Figure 3-3. Young-of-Year Spottail Shiner Sample Collection Locations
- Figure 3-4. Average Aroclor-Based PCB Concentrations in Fish Collected in Fall 2002
- Figure 3-5. Comparison of Resident Fish PCBs Quantified on an Aroclor and Congener Basis
- Figure 3-6. PCB Homolog Distributions in Resident Fish Collected in 2002
- Figure 3-7. Average Aroclor-Based PCB Concentrations in Smallmouth Bass (1991-2002)
- Figure 3-8. Average Aroclor-Based PCB Concentrations in Brown Bullhead (1991-2002)
- Figure 3-9. Average Aroclor-Based PCB Concentrations in Adult and Young-of-Year Spottail Shiner (1993-2002)